

Spartan Chemical Company, Inc.

Manufacturer of Guaranteed Specialty Maintenance Products

September 19, 2011

Document Processing Desk-6(a)(2) Office of Pesticide Programs- (7504P) U.S. Environmental Protection Agency Ariel Rios Building 1200 Pennsylvania Ave. N.W. Washington, D.C. 20460

Subject: FIFRA 6(a)(2) Submission:

20110919 HC Steriphene II

Date of Transmittal:

September 19, 2011

Name of Submitter:

Spartan Chemical Company, Inc. Spartan Chemical Company, Inc.

Registrant: EPA Company Number:

5741

Type/s of Incidents Reported:

HC

Time Period Covered:

9/16//2011

The Incident Reports submitted with this letter cover the following product/s:

Product Name:

EPA Reg. No.:

of Incidents Reported:

Steriphene II

One

A FIFRA 6(a)(2) Adverse Incident Reporting Form has been attached for this product.

Any questions regarding this submission should be directed to me at 800-537-8990.

Sincerely,

SPARTAN CHEMICAL COMPANY, INC.

Ronald T. Cook

Manager, Regulatory Affairs

cc:

William Schalitz





PROSAR

CASE EXPLORER
Navigate :: Case Search :: Case List ::

Case Report - 1-27455332

Client Name: Spartan Chemical

Case Number: 1-27455332

Case Created Date/Time: 9/16/2011 2:19:54 PM

Call Type: Exposure

6(a)(2) Incident Report: HC- Moderate Human Injury Spartan Chemical Company, Inc., Company EPA No.: 5741

Spartan EPA Report ID No.: 20110919 HC Steriphene II

EPA Reg. No.: 5741-22 Submission Date: 9/19/2011 Company Contact: Ron Cook Phone No.: 800-537-8990 x 271

Caller Information

Caller's Name:

Relation to the Patient: Self Caller Address: Indiana USA

Caller Phone:

Reason for Missing Information: NA

Caller Fax:

Caller Email:

Patient Information

Patient's Name: Patient Address: **Patient Phone:**

Age/Gender: Unknown Adult (18-64)/F

Weight:

Exposure Route: Inhalation

Symptoms to Date Time From Exposure to Symptom Onset

Visual defect

Unable to determine

Duration of Symptoms: Unknown Management Site: On-site

Lab Results:

Severity Assessment: Moderate

Species/Breed: Human

Product Information

Product Name: Steriphene II Brand Disinfectant Deodorant

Active Ingredient:

UPC Code:

FIFRA 6(a)(2) Product: Yes

FDA Product: No

Exposed to Concentrate: NA

Lot #:

EPA #: 5741-22

Aware Date: 9/16/2011

Case Priority: High

Circumstances

Exposure Site: Own Residence

Packaging Issues: NA

When Exposure Occurred: 15 Minutes ago Exposure Reason: Unknown Reason

Notes

Date/Time: 9/16/2011 2:20:21 PM

History: Steriphene II

Name of Specialist: John Flaagan

HX: The caller reports short term vision loss in one eye following a possible inhalation exposure. The caller was unable to describe a discreet exposure incident. The caller stated her vision loss had spontaneously resolved.

A: Vision loss would not be expected following respiratory exposure to this product. I would recommend you see your doctor

Inhalation of this product may lead to irritation of the eyes and upper respiratory tract as well as nausea, cough, headache, difficulty breathing, and shortness of breath.

- Adverse health effects are typically limited to the upper respiratory tract and resolve without affecting other body functions?

- Adverse health effects are typically limited to the upper respiratory tract and resolve without affecting other body rungtions.

- The patient should be removed from the source of the fumes and placed in an area with fresh air and adequate ventilation.

- Ventilate the area by opening outside doors and windows. Consider adding portable fans until the odos has dissipated. You may also wash treated surfaces with an appropriate household cleaner.

- Patients who smoke or have underlying respiratory conditions may experience more pronounced symptoms that require medical attention. Inhalers or nebulizer therapy indicated for acute respiratory symptoms may be used in the prescribed manner as symptoms dictate.

Seek medical attention if the patient's symptoms do not resolve within the next 30 minutes. If the patient develops shortness of breath or difficulty breathing, call 911.
 Please call back with any additional questions or concerns.

Date/Time: 9/17/2011 7:01:47 AM

History: reviewed

Name of Specialist: Kia Benson

Next follow up date: Call backs complete

√eriSign

Copyright © 1997 - 2011 | PROSAR Corporation, St. Paul MN | Case Explorer | Version 4.9.5 | 06/20/2011

